Northwest Science
Volume 58 (1984)
Author and Subject Index

(Author headings are in capital letters)

Accipiter *see* hawks
actinomycetes
  and cliffrose: Nelson and Schuttler, 49-56
  see also *Streptomyces*
Aechmophorus *see* grebes
Alberta
  pollen studies: Holloway, 18-28
algae
  in Montana: Wujeck and Wee, 213-221
  in Spokane River: Nielsen, Funk, Gibbons, and Duffner, 243-248
ALLENDORF, F. W. *see* Woods, Blake, and Allendorf, 262-268
American Ornithologist's Union
  1983 checklist: Ratti, 237-242
annelids *see* oligochaetes
antelopes *see* pronghorn
antibiotics
  in soil: Hutchins and Rose, 249-255
Antilocapra *see* pronghorn
AUBRY, K. B. The recent history and present distribution of the red fox in Washington. 69-79
autocleaning
  in bryozoans: Dick, 195-207

bass
  smallmouth (*Micropterus dolomieui*): Pflug and Pauley, 118-130
birds
  A.O.U. checklist: Ratti, 237-242
  lead and grouse: Kendall, Norman, and Scanlon, 14-17
  lead and waterfowl: Driver and Kendall, 103-107
  see also doves; grouse; hawks; plover
BISSELL, S. *see* Nead, Halfpenny, and Bissell, 286-289
BLAKE, G. M. *see* Woods, Blake, and Allendorf, 262-268
Bonasa *see* grouse
BRAKKE, D. F. *see* Loranger and Brakke, 222-229
bryophytes
  mosses on Salmon River: Rosentreter, 108-117
bryozoans
  autocleaning: Dick, 195-207
BUSS, I. O. Comments on an apparent sharp-tailed grouse movement in eastern Montana. 151-152.
Buteo *see* hawks
BUTLER, D. R. A late quaternary chronology of mass wasting for a small valley in the Lemhi Mountains of Idaho. 1-13

California *see* Yosemite National Park
carnivores *see* foxes
Cascade Mountains, Wash.
  glaciation: Mundorff, 269-281
  snow and lakes: Welch, Chamberlain, and Spyridakis, 85-93
CHAMBERLAIN, W. H. *see* Welch, Chamberlain, and Spyridakis, 85-93
Charadrius *see* plover
Chenopodiaceae *see* hopsage
Clethrionomys *see* voles
cliffrose
  Stansbury (*Cowania stansburiana*): Nelson and Schuttler, 49-56
coal tailings
  reclamation: Woods, Blake, and Allendorf 262-268
Colorado
  wolverines: Nead, Halfpenny, and Bissell, 286-289
concrete
  loading: Weber, Wu, and Vafai, 187-194
conifers *see* Cupressaceae; Pinaceae
Corvus *see* crows
Cowania *see* cliffrose
crows
  and A.O.U. checklist: Ratti, 237-242
crustaceans
  in vernal pools: Kulp and Rabe, 177-186
Cupressaceae
  in conifer forest structure: Parker, 131-141

deer
  mule (*Odocoileus hemionus*) fawn diet: Fielder and McKay, 80-84
  see also pronghorn
Dendroica *see* warblers
DICK, M. H. Bryozoan behavior in relation to autocleaning in *Holoporella brunnea* (Hincks). 195-207
Diplostomum *see* flukes
doves
  mourning (*Zenaidura macoura*): Knight, Smith, Gaudet, and Erickson, 230-236
DRIVER, C. J. and R. J. Kendall. Lead shot ingestion in waterfowl in Washington state, 1978-1979. 103-107
ducks
  and lead shot: Driver and Kendall, 103-107
DUFFNER, R. M. *see* Nielsen, Funk, Gibbons, and Duffner, 243-248

ectoparasites
  on mammals: Emerson, Maser, and Whitaker, 153-161
  on voles: Whitaker and Maser, 142-150
EMERSON, K. C., C. MASER, and J. O. WHITAKER, JR. Lice (Mallophaga and Anoplura) from mammals of Oregon. 153-161
Empidonax *see* flycatchers
Ericaceae *see* huckleberries
ERICKSON, A. W. *see* Knight, Smith, Gaudet, and Erickson, 230-236
EVERETT, R. L. and K. WARD. Early plant succession on pinyon-juniper controlled burns. 57-68

FIELDER, P. C. and C. E. MCKAY, JR. Vegetation types used by mule deer fawns, mid-Columbia River, Washington. 80-84
finches
and A. O. U. checklist: Ratti, 237-242
fires
and plant succession: Everett and Ward, 57-68
and spiny hopsage: Rickard and McShane, 282-285
fish
eyeflukes in salmonid: Speed and Pauley, 312-316
see also bass
flukes
eyefluke (*Diplostomum spathaceum*): Speed and Pauley, 312-316
flycatchers
and A.O.U. checklist: Ratti 237-242
forests
conifer: Parker, 131-141
and small mammals: Scrivner and Smith, 171-176
see also woodland
foxes
red (*Vulpes vulpes*): Aubry, 69-79
fungi
Phellinus weirii: Hutchins and Rose, 249-255
see also actinomycetes
FUNK, W. H. *see* Nielsen, Funk, Gibbons, and Duffner, 243-248

GAUDET, D. M. *see* Knight, Smith, Gaudet, Erickson, 230-236
geese
and lead shot: Driver and Kendall, 103-107
geomorphology
Indian Basin advance: Mahaney, 94-102
Lemhi Mountains: Butler, 1-13
Lewis River basin: Mundorff, 269-281
GIBBONS, H. L. *see* Nielsen, Funk, Gibbons, and Duffner, 243-248
Glacier National Park, Mo.
conifer forest structure: Parker, 131-141
glaciers
Indian Basin advance: Mahaney, 94-102
Lewis River basin: Mundorff, 269-281
Grayia *see* hopsage
grebes
and A.O.U. checklist: Ratti, 237-242
grouse
ruffed (Bonasa umbellus): Kendall, Norman, and Scanlon, 14-17
sharp-tailed (*Pedioecetes phasianellus*): Buss, 151-152
gulls
and A.O.U. checklist: Ratti, 237-242
Gulo *see* wolverines

HALFPENNY, J. C. *see* Nead, Halfpenny, and Bissell, 286-289
Hanford Reservation, Wash.
fires and shrubs: Rickard and McShane, 282-285
hawks
and A.O.U. checklist: Ratti, 237-242
Cooper's (*Accipiter cooperii*): Moore and Henny, 290-299
heat storage
in lakes: Loranger and Brakke, 222-229
heavy metals
lead and grouse: Kendall, Norman, and Scanlon, 14-17
lead and waterfowl: Driver and Kendall, 103-107
HENNY, C. J. *see* Moore and Henny, 290-299
HOLLOWAY, R. G. *Analysis* of surface pollen from Alberta, Canada, by polar ordination. 18-18
Holoporella brunnea
autocleaning: Dick 195-207
hopsage
spiny (*Grayia spinosa*) and fire: Rickard and McShane, 282-285
huckleberries
(*Vaccinium membranaceum*) berry production: Minore, 208-212
HUTCHINS, A. S. and S. L. ROSE. The variation in antagonistic *Streptomyces* populations in soils from different vegetation types in western Oregon. 249-255

Idaho
mass wasting in Lemhi Mountains: Butler, 1-13
mosses and lichens: Rosentreter, 108-117
pronghorn: Reynolds, 300-311
small mammals: Scrivner and Smith, 171-176
insects
in vernal pools: Kulp and Rabe, 177-186
invertebrates
in vernal pools: Kulp and Rabe, 177-186
isozyme analysis
in pine selection: Woods, Blake and Allendorf, 262-268

juniper
Juniperus osteosperma and burning: Everett and Ward, 57-68

KENDALL, R. J., G. W. NORMAN, and P. F. SCANLON. Lead concentrations in ruffed grouse collected from southwestern Virginia. 14-17
——— *see* Driver and Kendall, 103-107
KINDSCHY, R. R. A method for estimating precipitation amounts at remote field sites. 256-261
KNIGHT, R. L., D. G. SMITH, D. M. GAUDET, and A. W. ERICKSON. Nesting ecology of mourning doves in fruit orchards in north-central Washington, 230-236
KULP, R. L. and F. W. RABE. Free-swimming invertebrate communities of vernal pools in eastern Washington. 177-186

Lake Sammamish, Wash.
smallmouth bass: Pflug and Pauley, 118-130
Lake Whatcom, Wash.
heat storge: Loranger and Brakke, 222-229
lakes
and invertebrates: Kulp and Rabe, 177-186
and melting snow: Welch, Chamberlain, and Spyridakis, 85-93
see also Lake Sammamish; Lake Whatcom

Larus *see* gulls
lead
and grouse: Kendall, Norman, and Scanlon, 14-17
and waterfowl: Driver and Kendall, 103-107
Lemhi Mountains, Idaho
mass wasting: Butler, 1-13
Leucosticte *see* finches
Lewis River, Wash.
glaciation: Mundorff, 269-281
lice
on mammals: Emerson, Maser, and Whitaker, 153-161
lichens
along Salmon River: Rosentreter, 108-117
LORANGER, T. J. and D. F. BRAKKE. Temperature characteristics, annual heat storage, and river diversion influence on a monomictic lake. 222-229

MCKAY, C. E. JR. *see* Fielder and McKay, 80-84
MCSHANE, M. C. *see* Rickard and McShane, 282-285
MAHANEY, W. C. Indian Basin advance in western and north-central Wyoming. 94-102
mammals
and lice: Emerson, Maser, and Whitaker, 153-161
see also foxes; mammals, small
mammals, small
in forests: Scrivner and Smith, 171-176
see also voles
MASER, C. *see* Emerson, Maser, and Whitaker, 153-161
——— *see* Whitaker and Maser, 142-150
mass wasting
in Idaho valley: Butler, 1-13
MESLOW, E. C. *see* Wilson-Jacobs and Meslow, 40-48
Micropterus *see* bass
Microtus *see* voles
MINORE, D. *Vaccinium membranaceum* berry production seven years after treatment to reduce overstory tree canopies. 208-212
mites
on voles: Whitaker and Maser, 142-150
Montana
algae: Wujek and Wee, 213-221
pines and reclamation: Woods, Blake, and Allendorf, 262-268
sharp-tailed grouse: Buss, 151-152
see also Glacier National Park
MOORE, K. R. and C. J. HENNY. Age-specific productivity and nest site characteristics of Cooper's hawks (*Accipiter cooperi*). 290-299
mosses
along Salmon River: Rosentreter, 108-117
MUNDORFF, M. J. Glaciation in the lower Lewis River basin, southwestern Cascade Range, Washington. 269-281

Naididae
in Washington: Smith, 165-170
national parks *see* Glacier National Park; Yosemite National Park
NEAD, D. M., J. C. HALFPENNY, and S. BISSELL. The status of wolverines in Colorado. 286-289
NELSON, D. L. and P. L. SCHUTTLER. Histology of *Cowania stansburiana* actinorhizae. 49-56
Nevada
woodlands after burning: Everett and Ward, 57-68
NIELSEN, T. S., W. H. FUNK, H. L. GIBBONS, and R. M. DUFFNER. A comparison of periphyton growth on artificial and natural substrates in the upper Spokane River. 243-248
NORMAN, G. W. *see* Kendall, Norman, Scanlon, 14-17

Odocoileus *see* deer
oligochaetes
aquatic (Naididae): Smith, 165-170
orchards
and mourning doves: Knight, Smith, Gaudet, and Erickson, 230-236
Oregon
hawks: Moore and Henny, 290-299
huckleberry production: Minore, 208-212
lice and mammals: Emerson, Maser, and Whitaker, 153-161
mites and voles: Whitaker and Maser, 142-150
rangeland precipitation: Kindschy, 256-261
snowy plover: Wilson-Jacobs and Meslow, 40-48
Streptomyces in soil: Hutchins and Rose, 249-255
ornithology *see* birds

parasites *see* ectoparasites
PARKER, A. J. A comparison of structural properties and compositional trends in conifer forests of Yosemite and Glacier National Parks, U.S.A. 131-141
PAULEY, G. B. *see* Pflug and Pauley, 118-130.
——— *see* Speed and Pauley, 312-316
Pediocetes *see* grouse
periphyton
in Spokane River: Nielsen, Funk, Gibbons, and Duffner, 243-248
PFLUG, D. E. and G. B. PAULEY. Biology of smallmouth bass (*Micropterus dolomieui*) in Lake Sammamish, Washington. 118-130
Phellinus weirii
and *Streptomyces*: Hutchins and Rose, 249-255
Pinaceae
in conifer forest structure: Parker, 131-141
see also pines
pines
pinyon (*Pinus monophylla*) and burning: Everett and Ward, 57-68
ponderosa (*P. Ponderosa*) selection: Woods, Blake, and Allendorf, 262-268
plant communities
after fire: Rickard and McShane, 282-285
classification: Steele, 23-39
and pollen studies: Holloway, 18-28
succession after burning: Everett and Ward, 57-68
plover
snowy (*Charadrius alexandrinus*): Wilson-Jacobs and Meslow, 40-48

pollen studies
in Alberta: Holloway, 18-28
pollution *see* heavy metals
pools
and invertebrates: Kulp and Rabe, 177-186
see also lakes
precipitation
estimation methods: Kindschy, 256-261
and mountain lakes: Welch, Chamberlain, and Spyridakis, 85-93
pronghorn
(*Antilocapra americana*) range: Reynolds, 300-311

Quaternary studies
Indian Basin glacial advance: Mahaney, 94-102
Lemhi Mountains: Butler, 1-13

RABE, F. W. *see* Kulp and Rabe, 177-186
rainfall *see* precipitation
rangeland
precipitation estimation: Kindschy, 256-261
RATTI, J. T. Selected avian systematic problems in the Northwest: the 1983 A.O.U. checklist. 237-242
reclamation
with pines: Woods, Blake, and Allendorf, 262-268
REYNOLDS, T. D. Daily summer movements, activity patterns, and home range of pronghorn. 300-311
RICKARD, W. H. and M. C. MCSHANE. Demise of spiny hopsage shrubs following summer wildfire: an authentic record. 282-285
rivers
and bryophytes: Rosentreter, 108-117
and periphyton: Nielsen, Funk, Gibbons, and Duffner, 243-248
rodents *see* mammals, small; voles
root nodules
endophytes: Nelson and Schuttler, 49-56
Rosaceae *see* cliffrose
ROSE, S. L. *see* Hutchins and Rose, 249-255
ROSENTRETER, R. The zonation of mosses and lichens along the Salmon River in Idaho. 108-117
ruminants *see* deer; pronghorn

salmon
and eyeflukes: Speed and Pauley, 312-316
Salmon River, Id.
mosses and lichens: Rosentreter, 108-117
sapsuckers
and A.O.U. checklist: Ratti, 237-242
SCANLON, P. F. *see* Kendall, Norman, and Scanlon, 14-17
SCHUTTLER, P. L. *see* Nelson and Schuttler, 49-56
SCRIVNER, J. H. and H. D. SMITH. Relative abundance of small mammals in four successional stages of spruce-fir forest in Idaho. 171-176
shells, concrete
loading: Weber, Wu, and Vafai, 187-194
SMITH, D. G. *see* Knight, Smith, Gaudet, and Erickson, 230-236
SMITH, H. D. *see* Scrivner and Smith, 171-176
SMITH, M. E. Aquatic oligochaeta (Naididae) of Washington. 165-170
snow
and Cascade Mountain lakes: Welch, Chamberlain, and Spyridakis, 85-93
see also precipitation
soils
and *Streptomyces* populations: Hutchins and Rose, 249-255
SPEED, P. and G. B. PAULEY. The susceptibility of four salmonid species to the eyefluke, *Diplostomum spathaceum*. 312-316
Sphyrapicus *see* sapsuckers
spoil tips
reclamation: Woods, Blake, and Allendorf, 262-268
Spokane River, Wash.
periphyton: Nielsen, Funk, Gibbons, and Druffel, 243-248
SPYRIDAKIS, D. E. *see* Welch, Chamberlain, and Spyridakis, 85-93
STEELE, R. An approach to classifying seral vegetation within habitat types. 29-39
Streptomyces
in soils: Hutchins and Rose, 249-255

trematodes
eyefluke: Speed and Pauley, 312-316
trout
and eyeflukes: Speed and Pauley, 312-316

Vaccinium *see* huckleberries
VAFAI, A. *see* Weber, Wu, and Vafai, 187-194
Virginia
lead in grouse: Kendall, Norman, and Scanlon, 14-17
voles
and mites: Whitaker and Maser, 142-150
Vulpes *see* foxes

warblers
and A.O.U. checklist: Ratti, 237-242
WARD, K. *see* Everett and Ward, 57-68
Washington
aquatic oligochaetes: Smith, 165-170
fawn diet: Fielder and McKay, 80-84
fire and shrubs: Rickard and McShane, 282-285
glaciation: Mundorff, 269-281
invertebrates and vernal pools: Kulp and Rabe, 177-186
lead and waterfowl: Driver and Kendall, 103-107
mourning doves: Knight, Smith, Gaudet, and Erickson, 230-236
red fox distribution: Aubry, 69-79
smallmouth bass: Pflug and Pauley, 118-130 130
see also Cascade Mountains; Lake Whatcom; Spokane River
WEBER, J. W., K-C. WU, and A. VAFAI. Ultimate loads for shallow funicular concrete shells. 187-194
WEE, J. L. *see* Wujek and Wee, 213-221
WELCH, E. B., W. H. CHAMBERLAIN, and D. E. SPYRIDAKIS. Chemical content of snow and effect of melting on Cascade Mountain lakes. 85-93

WHITAKER, J. O., JR. and C. MASER. Parasitic mites of voles of the genera *Microtus* and *Clethrionomys* from Oregon. 142-150
——— *see* Emerson, Maser, and Whitaker, 153-161
WILSON-JACOBS, R. and E. C. MESLOW. Distribution, abundance, and nesting characteristics of snowy plovers on the Oregon coast. 40-48
wolverines
(*Gulo gulo*) in Colorado: Nead, Halfpenny, and Bissell, 286-289
woodland
succession after burning: Everett and Ward, 57-61
see also forests
WOODS, J. H., G. M. BLAKE, and F. W. ALLENDORF. Using isozyme analysis to aid in selecting genetically superior ponderosa pine for coal-mine spoil reclamation. 262-268
WU, K-C. *see* Weber, Wu, and Vafai, 187-194
WUJEK, D. E. and J. L. WEE. New, rare, and unusual algae from Montana. 213-221
Wyoming
Indian Basin glacial advance: Mahaney, 94-102

Yosemite National Park, Calif.
conifer forest structure: Parker, 131-141

Zenaidura *see* doves